References cited

[1] G. R. Agrawal and R.W.Boyd, *Contemporary Nonlinear Optics*, Academic Press (1992).

[2] V.I. Arnold, *Supplementary Chapters in the Theory of Ordinary Differential Equations*.

[3] V.I. Arnold and B.A. Khesin (1997), *Topological Methods in Hydrodynamics*, Applied Mathematical Sciences, **125**, Springer.

[4] J.D.Avrin [1996] Large-eigenvalue global existence and regularity results for the Navier-Stokes equation, *J.Diff.Equations*,127, pp.365-390 .

[5] J.Avrin, A.Babin, A. Mahalov and B. Nicolaenko, On regularity of solutions of 3D Navier- Stokes equations, to be published in *J. Applicable Analysis*

[6] Asymptotic expansion at infinity of a strongly perturbed Poiseuille flow, in *Advances of Soviet Mathematics*, v.10, Amer. Math. Soc., Providence, 1992, pp.1-83.

[7] A.V. Babin and M.I. Vishik [1992], *Attractors of Evolution Equations*, North-Holland, Amsterdam.

[8] A. Babin, A. Mahalov, and B. Nicolaenko (1995), Long–time averaged Euler and Navier–Stokes equations for rotating fluids, In "*Structure and Dynamics of Nonlinear Waves in Fluids*", 1994 IUTAM Conference, K. Kirchgässner and A. Mielke (eds), World Scientific, 145–157.

[9] A. Babin, A. Mahalov, and B. Nicolaenko (1996), Global splitting, integrability and regularity of 3D Euler and Navier-Stokes equations for uniformly rotating fluids, *Europ. J. of Mech., B/Fluids*, **15**, No. 3, 291–300.

[10] A. Babin, A. Mahalov, and B. Nicolaenko (1996), Resonances and regularity for Boussinesq equations, *Russian J. Math. Phys.*, **4**, No. 4, 417–428.

[11] A. Babin, A. Mahalov, and B. Nicolaenko (1997), Regularity and integrability of rotating shallow-water equations, *Proc. Acad. Sci. Paris*, **324**, Ser. 1, 593–598.

[12] A. Babin, A. Mahalov, and B. Nicolaenko (1997), Global regularity and integrability of 3D Euler and Navier-Stokes equations for uniformly rotating fluids, *Asymptotic Analysis*, **15**, 103–150.

[13] A. Babin, A. Mahalov, and B. Nicolaenko (1997), Global splitting and regularity of rotating shallow-water equations, *Eur. J. Mech., B/Fluids*, **16**, no. 1, 725–754.

[14] A. Babin, A. Mahalov, and B. Nicolaenko (1998), On the Nonlinear Baroclinic Waves and Adjustment of Pancake Dynamics, *Theor. and Comp. Fluid Dynamics*, *Theoretical and Computational Fluid Dynamics,* **11**, pp. 215-235.

[15] A. Babin, A. Mahalov, B. Nicolaenko and Y. Zhou (1997), On The Asymptotic Regimes and the Strongly Stratified Limit of Rotating Boussinesq Equations, *Theor. and Comp. Fluid Dyn.*, **9**, 223–251.

[16] Bartello, P. (1995), Geostrophic adjustment and inverse cascades in rotating stratified turbulence, *J. Atm. Sci.*, **52**, No. 24, 4410-4428.

[17] F.P. Bretherton [1969], Waves and turbulence in stably stratified fluids, *Radio Science*, **4**, No. 12, p. 1279–1287.

[18] A.J. Bourgeois and J.T. Beale [1994], Validity of the quasigeostrophic model for large-scale flow in the atmosphere and the ocean, *SIAM J. Math. Anal.*, 25, No. 4, p. 1023-1068.

[19] L. Caffarelli, R.Kohn and L.Nirenberg [1982], Partial regularity of suitable weak solutions of the Navier-Stokes equations, *Comm. Pure Appl. Math.*, 35, 771-831.

[20] P. Constantin and C. Foias [1988], *Navier-Stokes Equations*, The University of Chicago Press.

[21] D.G. Ebin and J.E. Marsden [1970], Groups of diffeomorphisms and the motion of an incompressible fluid, *Ann. of Math.*, **92**, p. 102-163.

[22] Embid, P.F. and Majda, A.J. (1996), Averaging over fast gravity waves for geophysical flows with arbitrary potential vorticity, *Comm. Partial Diff. Eqs.*, 21, 619-658.

[23] Farge, M., and Sadourny, R. (1989), Wave-vortex dynamics in rotating shallow layer, *J. Fluid Mech.*, **206**, 433-462.

[24] I. Gallagher (1997), Un résultat de stabilité pour les équations des fluides tournants, *C.R. Acad. Sci. Paris*, Série I, 183–186.

[25] I. Gallagher (1997), Asymptotics of the solutions of hyperbolic equations with a skew-symmetric perturbation, to appear in *Journal of Differential Equations.*

[26] I. Gallagher (1998), Applications of Schochet's methods to parabolic equations, to appear in *Journal Mathématiques Pures et Appliqueés.*

[27] H.P. Greenspan, [1968], *The Theory of Rotating Fluids*, Cambridge University Press.

[28] Gent, P.R., and McWilliams, J.C. (1983), Consistent balanced models in bounded and periodic domains, *Dyn. Atm. and Oceans*, **7**, 67-93.

[29] E. Grenier [1995], Rotating fluids and inertial waves, *Proc. Acad. Sci.*

Paris, t. 321, ser. 1, p. 711-714.

[30] J.K. Hale [1980], *Ordinary Differential Equations*, Krieger Publishing Company.

[31] E. Hopf [1950-1951], Über die Anfangswertaufgabe für die hydrodynamischen Grundgleichungen, *Math. Nachrichten*, **4**, p. 213-231.

[32] J.L. Joly, G. Métivier and J. Rauch (1995), Coherent and focusing multidimensional nonlinear geometric optics, *Ann. Scient. E. N. S. Paris (4) 28, 51-113* .

[33] T. Kato [1968], On classical solutions of the two-dimensional non-stationary Euler equation, *Arch. Rational Mech. Anal.*, **25**, p. 188-200.

[34] O. Ladyzhenskaya [1971], *Mathematical theory of viscous incompressible fluids*, Gordon and Breach.

[35] M.–P. Lelong and J.J. Riley [1991], Internal wave–vortical mode interactions in strongly stratified flows, *J. of Fluid Mech.*, **232**, p. 1–19.

[36] J. Leray [1934a], Essai sur les mouvements plans d'un liquide visqueux que limitent des parois, *J. Math. Pures Appl*, série 9, **13**, p. 331-418.

[37] J. Leray [1934b], Sur le mouvement d'un liquide visqueux emplissant l'espace, *Acta Math.*, **63**, p. 193-248.

[38] D.K. Lilly [1983], Stratified turbulence and the mesoscale variability of the atmosphere, *J. of the Atmosph. Sci.*, **40**, p. 749–761.

[39] J.L. Lions, R. Temam and S. Wang, Geostrophic asymptotics of the primitive equations of the atmosphere, *Topological Methods in Nonlinear Analysis*, **4**, (1994), 253-287, special issue dedicated to J. Leray.

[40] J.-L. Lions [1969], *Quelques methodes de résolution des problèmes aux limites non linéaires*, Dunod, Paris.

[41] A. Mahalov and P.S. Marcus (1995), Long-time averaged rotating shallow-water equations, *Proc. of the First Asian Computational Fluid Dynamics Conference*, eds. W.H. Hui, Y.-K. Kwok and J.R. Chasnov, vol. 3, 1227–1230, Hong Kong University of Science and Technology.

[42] Müller, P., Holloway, G., Henyey, F., and Pomphrey, N. (1986), Nonlinear interactions among internal gravity waves, *Reviews of Geophysics*, **24**, No. 3, 493-536.

[43] D.L.Mills (1991), *Nonlinear Optics, Basic Concepts*, Springer-Verlag.

[44] A.C.Newell, J.W.Moloney (1992), *Nonlinear Optics*, Addison-Wesley .

[45] J. Pedlosky [1987], *Geophysical Fluid Dynamics*, 2–nd edition, Springer–Verlag.

[46]H. Poincaré [1910], Sur la précession des corps déformables, *Bull. Astronomique*, **27**, 321.

[47]G. Raugel, G. Sell, [1993], Navier-Stokes equations on thin 3D domains. I. Global attractors and global regularity of solutions, *J. Amer. Math. Soc.* 6, No. 3, p.503-568.

[48]S. L. Sobolev [1954], Ob odnoi novoi zadache matematicheskoi fiziki, *Izvestiia Akademii Nauk SSSR, Ser. Matematicheskaia*, **18**, No. 1, p. 3–50.

[49]V. Scheffer (1985), A solution to the Navier-Stokes inequality with an internal singularity, *Comm. Math. Phys.* 101, no. 1, 47–85.

[50] S. Schochet [1994], Fast singular limits of hyperbolic PDE's, *J. Diff. Eq.*, **114**, p. 476-512.

[51] R. Temam [1984], *Navier-Stokes Equations: Theory and Numerical Analysis*, North-Holland, Amsterdam.

[52] R. Temam [1983], *Navier-Stokes Equations and Nonlinear Functional Analysis*, CBMS–NSF Regional Conference Series in Applied Mathematics, SIAM, Philadelphia.

[53] R. Temam [1975], On the Euler equations of incompressible perfect fluids, *J. of Funct. Anal.*, **20**, p. 32-43.

[54] T. Warn (1986), Statistical mechanical equilibria of the shallow-water equations, *Tellus*, 38A, 1-11.