

Math2E - Practice Final

December 6, 2008

1. Evaluate $\int_C xydx + ydy$, C is the sine curve $y = \sin x, 0 \leq x \leq \pi/2$.
Answer: $\frac{1}{2}$.

2. $\mathbf{F}(x, y, z) = e^y \mathbf{i} + (xe^y + e^z) \mathbf{j} + ye^z \mathbf{k}$,

(a): Show that \mathbf{F} is conservative,

(b): Evaluate $\int_C \mathbf{F} \cdot d\mathbf{r}$, where C is the line segment from $(0, 2, 0)$ to $(4, 0, 3)$.

Answer: (a) \mathbf{F} is conservative, (b) 2.

3. Evaluate $\int_C x^2 y dx + \ln \sqrt{1+y^2} dy$, where C is the triangle from $(0,0)$ to $(2,2)$ to $(0,2)$ to $(0,0)$.
Answer: $-\frac{4}{3}$.

4. Evaluate $\int \int_S \mathbf{F} \cdot \mathbf{n} dS$, where $\mathbf{F}(x, y, z) = x^2\mathbf{i} + xy\mathbf{j} + z\mathbf{k}$ and S is the part of the paraboloid $z = x^2 + y^2$ below the plane $z = 1$ with upward orientation.
Answer: $\frac{\pi}{2}$.

5. Evaluate $\int \int_{\partial Q} \mathbf{F} \cdot \mathbf{n} dS$, where $\mathbf{F} = \langle x^2 - y^2z, x \sin z, 4y^2 \rangle$, Q is bounded by $4x + 2y - z = 4$ ($z \leq 0$) and the coordinate planes.
Answer: $-\frac{2}{3}$.

6. Evaluate $\int \int_S \text{curl} \mathbf{F} \cdot \mathbf{n} dS$, where $\mathbf{F}(x, y, z) = x^2 y z \mathbf{i} + y z^2 \mathbf{j} + z^3 e^{xy} \mathbf{k}$, S is the part of the sphere $x^2 + y^2 + z^2 = 5$ that lies above the plane $z = 1$, and S is oriented upward.

Answer: -4π .

7. Evaluate $\int_C \mathbf{F} \cdot d\mathbf{r}$, where $\mathbf{F}(x, y, z) = xy\mathbf{i} + yz\mathbf{j} + zx\mathbf{k}$ and C is the triangle with vertices $(1, 0, 0)$, $(0, 1, 0)$, and $(0, 0, 1)$, oriented counterclockwise as viewed above.
Answer: $-\frac{\sqrt{3}}{2}$.

8. Evaluate $\int \int_S \mathbf{F} \cdot \mathbf{n} dS$, where $\mathbf{F}(x, y, z) = x^3 \mathbf{i} + y^3 \mathbf{j} + z^3 \mathbf{k}$ and S is the surface of the solid bounded by the cylinder $x^2 + y^2 = 1$ and the planes $z = 0$ and $z = 2$.
Answer: 11π .